



ALLAN E. SEWAR
ENGINEERING GEOLOGY, INC.

REGISTERED GEOLOGIST 571
ENGINEERING GEOLOGIST 246

TRANSMITTAL

TO: DIVISION of OIL and GAS FROM: Vic Coethals
ATTENTION: Mr. STEVE MARQUESS JOB NO.: 9-757-5
DATE: 5/25/89

RE: TRACT 32365 WESTCREEK DEVELOPMENT
NEWHALL, CA.
OIL WELLS "WARREN No 1" AND "BRAILLE No 1."

Transmitted:	The Following:	For:
<input type="checkbox"/> Herewith	<input type="checkbox"/> Geologic Report	<input checked="" type="checkbox"/> Your use
<input type="checkbox"/> Under separate cover	<input checked="" type="checkbox"/> Grading Plans	<input checked="" type="checkbox"/> Your files
<input type="checkbox"/> Via carrier	<input type="checkbox"/> Cross-sections	<input checked="" type="checkbox"/> As requested
	<input type="checkbox"/> Other	

VISION OF OIL AND RECEIVED

MAY 30 1989

VENTURA, CALIFORNIA

Message and/or Description:

HERE ARE THE ABOVE-REFERENCED GRADING PLANS
(SHEETS 3 and 4 of 7) WITH THE OIL WELLS
"WARREN No. 1" and "BRAILLE No. 1" PLOTTED
FROM SURVEY DATA PROVIDED BY CARL CHAPMAN
AND ASSOCIATES. IF YOU HAVE ANY QUESTIONS
FEEL FREE TO GIVE ME A CALL

Copies to: FILE

Vic

City of Newhall -
Buckley Saftley
LA County

INSTRUCTION SITE WELL INSPECTION
Building Site

Date of Inspection(s): March 10, 1989 Division Ref. No. 22A8904

Field: Newhall City/County LA County Sec. 1 T. 3N R. 16W SB B. & M.

Location - Major Cross Streets: San Fernando Road Left on Valle Del Oro

Developer Representative: Harry Krum Phone: (805) 987-1700

Describe exact location of excavation or well on building site to a reference point on Division map: Fr the SW Sec Cor approx. 2600N 1300E

SAFETY PRECAUTIONS AND UNSAFE EXCAVATIONS

CAUTION! Oil and gas wells may produce hydrogen sulfide gas, which is highly poisonous, and will accumulate and concentrate in low areas such as excavations. Prior to entering an excavation area, test to ensure that there is sufficient oxygen and that the flammable/toxic gas readings are within safe limits.

Well Inspections

Well Name/Number	: "Braille" 1				
API Number	: 037-13242				
Operator Name	: Southwest Oil Co.				
	: 1	: 2	: 3	: 4	: 5
Excavation Size	: 50'x50'	:	:	:	:
Excavation Pictures(s) No.	: 1	:	:	:	:
Picture Direction	:	:	:	:	:
Visible Casing Size(s) or comment	:	:	:	:	:
Fluid Leaks (Y)(N) Amount	:	:	:	:	:
Gas Leaks (Y)(N) Amount	:	:	:	:	:

How Was Location Determined?

Measured - XX, Surveyed - , Other - Describe:

Site Checked With:

Metal Detector - By PMC On 3/10/89. Gas Detector - By On .
Measuring Wheel - By On . Bubble Test - By On .

Leak Location(s): AFTER A DELIGENT EFFORT WELL WAS NOT LOCATED.
THE AREA WAS GRATED TO A MAXIMUM OF 25' - METAL DETECTOR WAS USED

Describe hazardous or damaged well conditions(s):

Report Prepared By: Pam Accarelli Date: 3/14/89 Time: 2:20p

9

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

REPORT OF WELL ABANDONMENT

Inglewood California

June 23 1959

Mr. W L Brown
3596 Yorkshire Road
Pasadena California
Agent for SOUTHWEST OIL CO.

DEAR SIR:

Your report of abandonment of Well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S.B.B. & M., Newhall field, Los Angeles County, dated June 18, 1959, has been examined in conjunction with records filed in this office.

A review of the reports and records shows that the requirements of this Division, which are based on all information filed with it, have been fulfilled.

MAP	MAP BOOK	CARGES	BOND	FORMS	
				114	121
18A LMP 6/30	RJ		No bond required		EB

DMR:es
cc Mr H H Musser
Company
Conservation Committee
Production Dept
Mr L A Dutton
Fire Prevention Bureau

E. H. MUSSER
State Oil and Gas Supervisor

By Wm C. Bial
Deputy Supervisor

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

REPORT OF WELL ABANDONMENT

Operator: _____

Well No. _____

Location: _____
County: _____
City: _____

Date: _____

Your report of abandonment of Well No. _____

is hereby acknowledged by the State of California.

This report shall be filed in the files of the Division.

Examined in connection with records filed in this office.

A review of the reports and records shows that the requirements of this Division

which are based on all information filed with it have been fulfilled.

By _____
State Oil and Gas Supervisor

9

DIVISION OF OIL AND GAS

JUN 19 1959

History of Oil or Gas Well

INGLEWOOD, CALIFORNIA

OPERATOR Southwest Oil Company FIELD Newhall
P.O. Box 65, Newhall, Cal.
Well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S.B. S.B.
"Braille", B. & M.
Signed W. L. Brown

Date June 18, 1959 Title Agent
(President, Secretary or Agent)

It is of the greatest importance to have a complete history of the well. Use this form in reporting the history of all important operations at the well, together with the dates thereof, prior to the first production. Include in your report such information as size of hole drilled to cementing or landing depth of casings, number of sacks of cement used in the plugging, number of sacks or number of feet of cement drilled out of casing, depth at which cement plugs started, and depth at which hard cement encountered. If the well was dynamited, give date, size, position and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position and results of pumping or bailing.

Date

- 2-24-59 - Dumped 80 barrels mud in hole.
- 2-25-59 - Dumped 14 sax cement at 3195'.
- 2-26-59 - Top of cement plug 3090'. Dumped 2 sacks cement at 3090'. Shot 7" O.D. casing at 2110', 1985' and 1812'. Pulled and laid down 1 joint(18') of casing. Drove wood plug to 1812' and dumped 12 sacks cement.
- 2-28-59 - Drove wood plug to 329' and dumped 24 sacks cement.
- 3-2-59 - Top of set cement 277'. Placed plug 10' below cellar base and dumped 7 sacks cement, filling 10' in 12½" casing 4' below land level.

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS

Special Report on Operations Witnessed

No. T 159-148

Mr. W L Brown
1135 West Huntington Drive
Arcadia California
Agent for SOUTHWEST OIL CO

Inglewood 3 Calif.
March 9, 1959

DEAR SIR:

Operations at your well No. "Braille" 1, Sec. 1, T. 3 N, R. 16 W, S. E B & M.
Newhall Field, in Los Angeles County, were witnessed
on March 3, 1959 by Mr. G. Beecroft, Engineer, representative of the supervisor was present
from 2:00 to 3:00 p.m. There were also present W. Brown, Agent,
G. Milligan, Contractor.

Present condition of well: 12-1/2" cem. 304'; 7" cem. 3150', W.S.O., shot and pulled from
1812'; 5-9/16" 1d. 3112'-3196', perf. 3151'-3196', *plugged with cement 3196'-3080' 1/2,
1812'-1758' 1/2, 329'-277', and 16'-4'.
*T.D. 3196'

The operations were performed for the purpose of witnessing the plugging operations in the process
of abandonment.

~~MR. G. MILLIGAN, CONTRACTOR, REPORTED THAT ON FEBRUARY 25, 1959, 14 SACKS OF CEMENT WAS DUMPED INTO THE~~

MR. W. HUNTER, ENGINEER, WAS PRESENT AT THE WELL FROM 10:25 - 11:05 A.M., FEBRUARY 26, 1959,
AND MR. MILLIGAN REPORTED THAT ON FEBRUARY 25, 1959, 14 SACKS OF CEMENT WAS DUMPED INTO THE
hole at 3195'.

THE ENGINEER NOTED:

1. The bailer was spudded on a solid plug at 3090' and brought up a sample of set cement.
2. An additional 2 sacks of cement was dumped at 3090', calculated to fill to 3080'.

MR. W. HUNTER, ENGINEER, WAS PRESENT AT THE WELL FROM 8:30 - 10:00 A.M., FEBRUARY 27, 1959,
AND MR. MILLIGAN REPORTED:

1. The 7" casing was shot at 1812' and pulled up 15'.
2. The hole was bridged at 1812' with a wooden plug and rocks.

THE ENGINEER NOTED THAT 12 SACKS OF CEMENT WAS DUMPED INTO THE HOLE AT 1812'.

MR. G. BEECROFT, ENGINEER, WAS PRESENT AT THE WELL FROM 2:00 - 3:00 P.M., MARCH 3, 1959,
AND MR. MILLIGAN REPORTED THAT ON FEBRUARY 28, 1959, 24 SACKS OF CEMENT WAS DUMPED INTO
the hole at 329'.

THE ENGINEER NOTED:

1. The bailer was spudded on a solid plug at 277' and brought up a sample of set cement.
2. The hole was bridged at 16' with a wood plug, cement sacks, and dirt.
3. Seven sacks of cement was poured into the hole from the surface.
4. The top of the cement in the 12-1/2" casing was at 4' below the ground surface.

THE PLUGGING OPERATIONS AS WITNESSED AND REPORTED ARE APPROVED.

GB:OH

cc Company

E. H. MUSSER
State Oil and Gas Supervisor

By W. C. Bailey Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS
REPORT ON PROPOSED OPERATIONS

No. P 159-79

Mr. W L Brown
1135 West Huntington Drive
Arcadia California
Agent for SOUTHWEST OIL CO.

Inglewood 3 Calif.
February 2, 1959

DEAR SIR:

Your _____ proposal to abandon _____ Well No. "Braille" 1
Section 1, T. 3 N, R. 16 W, S B B. & M., Newhall Field, Los Angeles County,
dated Jan. 29, 1959, received Jan. 29, 1959, has been examined in conjunction with records filed in this office.

Present conditions as shown by the records and the proposal are as follows:

THE NOTICE STATES

"The present condition of the well is:

1. Total Depth: 3196'
2. Complete casing record, including plugs:
12-1/2" cem. 304'
7" cem. 3150', W. S. O.
5-9/16" d.p. ld. 3112'-3196', perf. 3151'-3196'
3. Last Produced Present 3 1/2 12
(Date) (Oil, B/D) (Water, B/D)

Additional Data for Dry Hole

4. Oil or Gas showings and results of tests:
5. Stratigraphic markers and depths:
6. Geologic age at bottom: _____
7. Base of fresh water sands: Behind surface casing."

PROPOSAL

"The proposed work is

1. Plug with cement 3196'-3085'.
2. Shoot 7" at 1700' or above & pull.
3. Place 50' cement plug on stub of 7" casing.
4. Plug with cement 330'-280'.
5. Plug with cement 10' to surface.

All unplugged portions of the hole will be filled with good rotary mud."

DECISION

THE PROPOSAL IS APPROVED PROVIDED THAT THIS DIVISION SHALL BE NOTIFIED AS FOLLOWS:

1. To witness the location and hardness of the cement plug at 3085'.
2. To witness the placing of the cement plug on the stub of the 7" casing.
3. To witness the location and hardness of the cement plug at 280'.
4. To inspect the completed surface plug.

DER:OH

cc Company

E. H. MUSSER, State Oil and Gas Supervisor

By [Signature], Deputy

No bond required.

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS
REPORT ON PROPOSED OPERATIONS

No. 1234

City

County

Proposed to

County

has been examined in conjunction with records held in this office.

These conditions as shown by the records and the proposal are as follows:

[Faint, mostly illegible text describing proposed operations and conditions. The text is mirrored and difficult to read due to the quality of the scan.]

E. H. WILSON, State Oil and Gas Supervisor

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS

DIVISION OF OIL AND GAS
RECEIVED

JAN 29 1959

Notice of Intention to Abandon Well

This notice must be given at least five days before work is to begin; one copy only **HOLLYWOOD, CALIFORNIA**

Newhall Calif. January 29 1959

DIVISION OF OIL AND GAS

In compliance with Division 3, Public Resources Code, notice is hereby given that it is our intention to abandon Well No. "Braille" 1, Sec. 1, T. 3 N, R. 16 W, S B B. & M., Newhall Field, Los Angeles County, commencing work on February 5 1959.

THE PRESENT CONDITION OF THE WELL IS:

1. Total Depth: 3196'
2. Complete casing record, including plugs:
12-1/2" cem. 304'
7" cem. 3150', W. S. O.
5-9/16" d.p. ld. 3112'-3196', perf. 3151'-3196'

ADDITIONAL DATA FOR DRY HOLE

4. Oil or Gas showings and results of tests:
5. Stratigraphic markers and depths:
6. Geologic age at bottom: _____
7. Base of fresh water sands: Behind surface casing

3. Last Produced Present 3 1/2 12
(Date) (Oil, B/D) (Water, B/D)

THE PROPOSED WORK IS

1. Plug with cement 3196'-3085'.
2. Shoot 7" at 1700' or above & pull.
3. Place 50' cement plug on stub of 7" casing.
4. Plug with cement 330'-280'.
5. Plug with cement 10' to surface.

All unplugged portions of the hole will be filled with good rotary mud.

abandon

MAP	MAP BOOK	CARDS	BOND	FORMS	
				114	121
		<i>EB</i>	<i>no bond required</i>	<i>EB</i>	<i>EB</i>

P. O. Box 65, Newhall
(Address)
Phone 919-R
(Telephone No.)

SOUTHWEST OIL CO.
(Name of Operator)
 By W. F. Brown

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS
REPORT ON PROPOSED OPERATIONS

No. P158-847

Mr. W. L. Brown
1135 West Huntington Drive
Arcadia California
Agent for SOUTHWEST OIL CO

Inglewood 3 Calif.
December 8, 1958

DEAR SIR:

Your _____ proposal to _____ alter casing _____ Well No. "Braille" 1 _____,
Section 1 _____, T3 N _____, R. 16 W. _____, S. B. B. & M. _____, Newhall _____ Field, Los Angeles _____ County,
dated Dec. 4, 1958 _____, received Dec. 4, 1958 _____, has been examined in conjunction with records filed in this office.

Present conditions as shown by the records and the proposal are as follows:

THE NOTICE STATES

"The present condition of the well is as follows:

1. Total depth. 3,196'
2. Complete casing record.
12-1/2" cem. 304'
7" cem. 3,150'
5-9/16" ld. 3,112' - 3,196', perf. 3,151' - 3,196'

3. Last produced.	Present	<u>4</u>	<u>21°</u>	<u>50%</u>
	(Date)	(Net Oil)	(Gravity)	(Cut)"

PROPOSAL

"The proposed work is as follows:

1. Perf. 7" casing from 3,047' - 3,052' and test for additional production.
2. If no additional oil, perf. from 2,480' - 2,520' and test."

DECISION

THE PROPOSAL IS APPROVED PROVIDED THAT this Division shall be kept informed of the results of tests after each stage of perforating, and will designate any requirements at that time.

DIER:OH

cc Company

E. H. MUSSER, State Oil and Gas Supervisor

By *Paul C. Baker*, Deputy

REPORT ON RECORD OPERATIONS
DIVISION OF OIL AND GAS
STATE OF TEXAS

Well No. _____
County _____
Operator _____

Produced by _____
Well No. _____
County _____
Operator _____

Produced by _____
Well No. _____
County _____
Operator _____

Produced by _____
Well No. _____
County _____
Operator _____

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS

DIVISION OF OIL AND GAS
RECEIVED

DEC 4 1958

INGLEWOOD, CALIFORNIA

Notice of Intention to Deepen, Redrill, Plug or Alter Casing in Well

This notice must be given before work begins; one copy only

Newhall, Calif. December 4, 1958

DIVISION OF OIL AND GAS
830 North La Brea Avenue
Inglewood 3, Calif.

In compliance with Section 3203, Chapter 93, Statutes of 1939, notice is hereby given that it is our intention to commence the work of deepening, redrilling, plugging or altering casing at Well No. "Braille" 1
(Cross out unnecessary words)
, Sec. 1, T. 3 N., R. 16 W., S. B. B. & M.
Newhall Field, Los Angeles County.

The present condition of the well is as follows:

- 1. Total depth. 3,196'
- 2. Complete casing record.
 - 12 1/2" cem. 304'
 - 7" cem. 3,150'
 - 5-9/16" ld. 3,112' - 3,196', perf. 3,151' - 3,196'

3. Last produced. Present (Date) 4 (Net Oil) 21° (Gravity) 50% (Cut)

The proposed work is as follows:

- 1. Perf. 7" casing from 3,047' - 3,052' and test for additional production.
- 2. If no additional oil, perf. from 2,480' - 2,520' and test.

alter casing

MAP	MAP BOOK	CARDS	BOND	FORMS	
				114	121
			<i>No bond required</i>	<i>EB</i>	<i>EB</i>

SOUTHWEST OIL CO.
(Name of Operator)

By *W. L. Brown*

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

REPORT OF PROPERTY AND WELL TRANSFER

Field or County Newhall District 1
Former Owner: Continental Oil Company Date July 3, 1957
Description of Property Sec. 1, T. 3 N., R. 16 W., S. B. B. & M.

List of Wells "Braille" 1

Date of Transfer April 28, 1957
New Owner: Southwest Oil Co.
Address: 104 E. Thirteenth Street, Newhall, California
Telephone No.

Type of Organization Partnership
Reported by: Continental Oil Company (Letters of June 13 and 24, 1957)
Confirmed by: E. A. Tompkins for Southwest Oil Co. (Letters of June 15 and 25, 1957)
New Operator New Status PA, Old Operator New Status PA
Request designation of agent for the following County. No

Remarks:

eb
cc- Mr. E. H. Musser
Prod. Dept.
Conservation Committee

	INITIALS	DATE
Form 121	✓ EB	7-3-57
New Well Cards		
Well Records	✓ EB	7-3-57
Electric Logs	✓	
Production Reports	cc Prod Dept ✓	
Map and Book	WA WH	7-9
Form 148		
Notice to be cancelled	✓ None 100R	7-15-57

Wm. C. Baird
Deputy Supervisor

LEGEND
PA—Producing Active
NPA—Non Potential Active
PI—Potential Inactive
NPI—Non Potential Inactive
Ab—Abandoned or No More Wells
NOTE—If Transfer Does Not Change Overall Status Enter "No Change"

~~E. H. MUSSER~~
State Oil and Gas Supervisor
~~Wm. C. Bailey~~
Deputy

GOODWIN J. KNIGHT
Governor



DEWITT NELSON
Director of Natural Resources

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

1015 WEST OLYMPIC BOULEVARD
LOS ANGELES 15, CALIFORNIA

DIVISION OF OIL AND GAS
RECEIVED

JUN 26 1957

LOS ANGELES, CALIFORNIA

June 21, 1957

pa
Southwest Oil Co.
104 E. Thirteenth Street
Newhall, California

Attention of Mr. E. A. Tompkins

Gentlemen

pa
Thank you for your letter of June 15, 1957, giving us information concerning the transfer of Continental Oil Company well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S. B. B. & M., Newhall field, to you.

You stated in your letter that April 28, 1957, is the date of the transfer, but Continental Oil Co. informed us that April 12, 1957, is the effective date of the transfer of this well. Will you please inform us as to the reason for the difference in the dates given as the date of the transfer. This information may be submitted on the duplicate copy of this letter attached, sign and return to this office.

Yours truly

Wm C. Bailey
WM. C. BAILEY
Deputy Supervisor
msf

eb

Note Address reply to attention of Mr. D. E. Ritzius

1. Reason for difference in date given as date of transfer: Well was purchased April 12, but not officially taken over until April 28. No production between April 12 and April 28.

6/25/57
Date

E. A. Tompkins

E. H. MUSSER
State Oil and Gas Supervisor
~~Wm. C. Bailey~~
Deputy

GOODWIN J. KNIGHT
Governor



DEWITT NELSON
Director of Natural Resources

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

1015 WEST OLYMPIC BOULEVARD
LOS ANGELES, CALIFORNIA
DIVISION OF OIL AND GAS
RECEIVED

PRODUCTION--LOS ANGELES	
RETURN PROMPTLY	YOUR FILE
JUN 24 1957	
TO	

June 21, 1957

JUN 25 1957

LOS ANGELES, CALIFORNIA

Continental Oil Company
1137 Wilshire Boulevard
Los Angeles 17, California

Attention of Mr. Rufus M. Smith

Gentlemen

Thank you for your letter of June 13, 1957, giving us information concerning the transfer of your well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S. B. B. & M., Newhall field, to Southwest Oil Co.

You stated on your production report for April 1957 that the well was transferred April 12, 1957, but Southwest Oil Co. informed us that the well was transferred on April 28, 1957. Will you please inform us as to the reason for the difference in the dates given as the date of the transfer. This information may be submitted on the duplicate copy of this letter attached, sign and return to this office.

Yours truly

Wm C Bailey
WM. C. BAILEY
Deputy Supervisor *WCF*

eb

Note Address reply to attention of Mr. D. E. Ritzius

1. Reason for difference in date given as date of transfer: Bill of Sale transferring equipment from Continental to Southwest Oil Company is dated April 12, 1957. Southwest Oil Company took over the well physically on April 28, 1957.

June 24, 1957
Date

D. E. Ritzius
Regional Manager of Production
Western Region

E. H. MUSSER
State Oil and Gas Supervisor
~~Wm. C. Bailey~~
Deputy

GOODWIN J. KNIGHT
Governor

DEWITT NELSON
Director of Natural Resources



STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS
1015 WEST OLYMPIC BOULEVARD
LOS ANGELES 15, CALIFORNIA

DIVISION OF OIL AND GAS
RECEIVED
JUN 21 1957
LOS ANGELES, CALIFORNIA

June 14, 1957

Southwest Oil Co.
104 E. Thirteenth Street
Newhall, California

Gentlemen

We have been informed that on April 12, 1957, you acquired well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S. B. B. & M., Newhall field, from Continental Oil Company.

Will you please furnish us with the information requested below which may be submitted on the duplicate copy of this letter attached, sign and return to this office as soon as possible.

Yours truly

Wm C Bailey
WM. C. BAILEY
Deputy Supervisor

eb

Note Address reply to attention of Mr. D. E. Ritzius

1. Effective date you acquired the well: April 28th 1957
2. Name of company from whom you acquired the well: Continental Oil Co.
3. Brief legal description of the property on which the well is located: Lot 39, St. Johns Subdivision, Rancho San Francisco
4. What are your plans for the well: Pull Tubing & Pump

6/15/57
Date

E. A. Tompkins

GOODWIN J. KNIGHT
Governor



DEWITT NELSON
Director of Natural Resources

E. H. MUSSER
State Oil and Gas Supervisor
Wm. C. Bailey
R. W. WALLING
Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

1015 WEST OLYMPIC BOULEVARD
LOS ANGELES 15, CALIFORNIA

DIVISION OF OIL AND GAS
RECEIVED

JUN 14 1957

June 11, 1957

Continental Oil Company
1137 Wilshire Boulevard
Los Angeles 17, California

Attention of Mr. Rufus M. Smith

Gentlemen

Thank you for the information on your production report for April 1957 that you sold your well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S. B. B. & M., Newhall field, on April 12, 1957.

Will you please furnish us with the information requested below which may be submitted on the duplicate copy of this letter attached, sign and return to this office as soon as possible.

Yours truly

Wm C Bailey
WM. C. BAILEY
Deputy Supervisor

eb

Note Address reply to attention of Mr. D. E. Ritzius

1. Name and address of the person or company to whom you transferred the well: Southwest Oil Co., 104 E. Thirteenth St., Newhall, California
2. Brief legal description of the property on which the well is located: Portion of Lot 39 of St. John's Subdivision of Rancho San Francisco, County of Los Angeles, State of California containing 10 acres more or less.

June 13, 1957

Date

Rufus M. Smith
Rufus M. Smith
Regional Manager of Production
Western Region.

DEWITT NELSON
Director of Natural Resources

GOODWIN J. KNIGHT
Governor



E. H. MUSSER
State Oil and Gas Supervisor
R. W. WALLING
Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS
1015 WEST OLYMPIC BOULEVARD
LOS ANGELES 15, CALIFORNIA

June 11, 1967

Continental Oil Company
1101 Market Street
Los Angeles 15, California

Attention: Mr. James E. Smith

Dear Sir:

Reference is made to your letter of June 7, 1967, regarding the proposed lease for the production of oil and gas from the land described in the attached copy of the lease agreement.

The proposed lease is being reviewed by the Division of Oil and Gas and the Division of Mineral Resources. The Division of Oil and Gas is currently reviewing the proposed lease for compliance with the provisions of the California Oil and Gas Law.

[Handwritten Signature]
E. H. MUSSER
State Oil and Gas Supervisor

This letter is being sent to you for information.

I am sure you will appreciate the attention given to your request.

Sincerely,
E. H. MUSSER
State Oil and Gas Supervisor

Enclosed for you are two copies of the proposed lease agreement and a copy of the California Oil and Gas Law.

If you have any questions regarding the proposed lease, please contact the Division of Oil and Gas at the address listed above.

[Handwritten Signature]
James E. Smith
Regional Director of Production
Los Angeles Region

June 14, 1967
E. H. MUSSER

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

District 1

Date January 8 1952

REPORT OF PROPERTY AND WELL TRANSFER

Former Owner: Talisman Oil Company

Description and list of wells: "Braille" 1 and "Braille" 2

Sec. 1, T. 3 N., R. 16 W., S. E. B. & M., Newhall field,

New Owner: Continental Oil Company; date acquired: November 1, 1951
Address: Edison Bldg., 601 West 5th St., Los Angeles 17

Request for designation of agent for No County should be sent to:
Name:
Address:

Reported by: Continental Oil Company (Letter of December 27, 1951)
Confirmed by: Talisman Oil Company (Letter of January 2, 1952)

Type of organization: Incorporated (Individual, partnership, corporation, etc.)

Our records are being changed accordingly.

Remarks: Bonds filed by Talisman Oil Company covering wells No. "Braille" 1 and "Braille" 2 are not eligible for release as all the required records for these wells have not been filed.

cc - Mr R D Bush (2)
K Cooley

E. H. Messer
Deputy Supervisor

	INITIALS	DATE
Form 121	EB	1-8-52
New Well Cards		
Well Records	EB	1-8-52
Logs		
Production Reports	✓ ME	1-9-52
Form 148	✓ EB	1-11-52
Field Maps	18A ✓ JLW	1-9-52
Notice to be cancelled?	✓ Nene SPMA	1-9-52

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

District

Date

REPORT OF PROPERTY AND WELL TRANSFER

Former Owner: (Print name and address)

Description and use of well:

See T. 12 S., R. 12 E., B. 22 N., S. 12

New Owner: (Print name and address)

Request for description of lease for

Form

Address:

Report by:

Compared by:

Type of organization:

(Individual, partnership, corporation, etc.)

Can records be changed accordingly.

Comments:

and the transfer of the well to the new owner.

for the well.

by the

by the

by the

by the

DATE	INITIALS	
		John J. ...
		Ray W. ...
		William ...
		Richard ...

DIVISION OF OIL & GAS
RECEIVED
FEB 7 1952
LOS ANGELES

037-13242

DIVISION OF OIL AND GAS

WELL SUMMARY REPORT

Operator (TALISMAN OIL COMPANY) Field Newhall (Townsite)
Well No. Braille No. 1 Sec. 1, T. 3 N, R. 16 W, B. & M.
Location 825' NEly fr. center line San Fernando Road along Ely line of Lot 39, St. John's Subdivision, thence 400' NWly at R/A's. Elevation of ground above sea level Ground 1312 feet.
All depth measurements taken from top of Kelley Bushing, which is 12.5 feet above ground.

In compliance with the provisions of Chapter 93, Statutes of 1939, the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date February 5, 1952 Signed Ann M. Rodby Title Agent
R. W. Sherman (Engineer or Geologist) (Superintendent) (President, Secretary or Agent)

Commenced drilling March 4, 1951 Completed drilling March 20, 1951 Drilling tools Cable-Rotary
Total depth 3196 Plugged depth None GEOLOGICAL MARKERS DEPTH
Junk None

Commenced producing March 31, 1951 Flowing/gas lift/pumping
(date) (cross out unnecessary words)

	Clean Oil bbl. per day	Gravity Clean Oil	Per Cent Water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production	100	20.4	1.5	50 Estimated		280
Production after 30 days	30	19.6	2.0		60	20*

CASING RECORD (Present Hole) *Held at 20# by using casing gas for fuel and connecting in to flow line.

Size of Casing (A. P. I.)	Depth of Shoe	Top of Casing	Weight of Casing	New or Second Hand	Seamless or Lapweld	Grade of Casing	Size of Hole Casing landed in	Number of Sacks of Cement	Depth of Cementing if through perforations
12 1/2"	304	Surface	34.3#	New	Lapweld slip joint				Cemented to surface
7"	3150	"	23 #	New	Seamless	J 55	10-5/8	375	

PERFORATIONS

Size of Casing	From	To	Size of Perforations	Number of Rows	Distance Between Centers	Method of Perforations
5-9/16 DP	3151 ft.	3196 ft.	100 M 2" slots	16	6"	Shop

STATEMENT OF ACCOUNTS

FOR THE YEAR ENDING 1934

NEW YORK, N.Y.

THE NATIONAL CITY BANK

To the credit of the account of the undersigned, the sum of \$100.00 was received from the undersigned on the 1st day of January, 1934, for the purpose of the purchase of the stock of the National City Bank of New York, N.Y., in the amount of \$100.00, as per check No. 1234, dated and payable to the order of the undersigned.

The above sum of \$100.00 was applied to the purchase of the stock of the National City Bank of New York, N.Y., in the amount of \$100.00, as per check No. 1234, dated and payable to the order of the undersigned.

Witness my hand and seal this 1st day of January, 1934.

1934

Agent

J. V. [Name]

By [Name], Secretary

STATEMENT OF ACCOUNTS

DATE	DESCRIPTION	AMOUNT	BALANCE
1934	100.00	100.00	100.00
1934	30.00	70.00	70.00
1934	2.00	68.00	68.00
1934	38.00	30.00	30.00

Balance of \$30.00 on the closing day for 1934 and commencing in the year 1935.

DATE	DESCRIPTION	AMOUNT	BALANCE
1935	100.00	100.00	100.00
1935	30.00	70.00	70.00
1935	2.00	68.00	68.00
1935	38.00	30.00	30.00

Balance of \$30.00 on the closing day for 1935 and commencing in the year 1936.

DATE	DESCRIPTION	AMOUNT	BALANCE
1936	100.00	100.00	100.00
1936	30.00	70.00	70.00
1936	2.00	68.00	68.00
1936	38.00	30.00	30.00

Balance of \$30.00 on the closing day for 1936 and commencing in the year 1937.

DIVISION OF OIL AND GAS

DIVISION OF OIL & GAS
RECEIVED
FEB 7 1952
LOS ANGELES

now Continental Oil Company
History of Oil or Gas Well

OPERATOR (TALISMAN OIL COMPANY) FIELD Newhall (Townsite)
Well No. Braille No. 1, Sec. 1, T. 3 N, R. 16 W, B. & M.

Signed *Ann M. Rodby*

Date February 5, 1952 Title Agent
(President, Secretary or Agent)

It is of the greatest importance to have a complete history of the well. Use this form in reporting the history of all important operations at the well, together with the dates thereof, prior to the first production. Include in your report such information as size of hole drilled to cementing or landing depth of casings, number of sacks of cement used in the plugging, number of sacks or number of feet of cement drilled out of casing, depth at which cement plugs started, and depth at which hard cement encountered. If the well was dynamited, give date, size, position and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position and results of pumping or bailing.

Date 1951

3/4
5
3/6 to
3/12
13
3/14 to
3/15
15
3/15 to
3/16
16
19
20
21
22
31
3/31/51
to
1/16/52

Started drilling, Gamay Drilling Co., Contractor.
Cemented 12 $\frac{1}{2}$ " Lapweld 34.3# slip joint casing at 304 ft.
Drilled 10-5/8" hole to 2809.
Cored 8 $\frac{1}{2}$ " hole 2809 to 2892. Drilled 2892 to 2992.
Cored 8 $\frac{1}{2}$ " from 2992 to 3134.
Drill stem test 3080 to 3134. One hour. Medium to medium strong steady blow first half hour, weak but steady last half hour. Recovered 1200 ft. fluid, mostly water, in 4 $\frac{1}{2}$ " D.P. Approx. 400 grs. Cl per gal.
Cored 3134 to 3178. Top oil sand 3150.
Johnston Drill Stem Test. Two sidewall expanding packers, top packer 3141, bottom packer 3153, tail 3178, bottom hole 3178. 300 ft. water cushion. One hour, medium strong steady blow. Recovered water cushion plus 782 ft. oil and oil cut mud in 4 $\frac{1}{2}$ " D.P.
Cemented 7" J 55, 23# casing at 3150 with 375 sacks construction cement.
Drilled out cement in 7" casing from 3062 to 3150 and cleaned out cement landing bridge from 3150 to 3155; bottom of hole 3178.
W.S.O. Test. Johnston Tester. Top packer 3132, tail 3147. 300 ft. water cushion. Open 1 hour. Tester plugged. No test.
Re-ran W.S.O. Test. Johnston Tester, packer 3105, tail 3122, bottom of hole 3178. 3 $\frac{1}{2}$ " D.P. 300 ft. water cushion. 1 hr., 45 min. Recovered 1530 gassy clean oil. W.S.O. OK.
Cored 3178 to 3196, TD.
84 ft. of 5-9/16" Grade D 22.5# drill pipe flush joint liner including 45 ft. of 100 M slots, 16 rows, 6" centers, with 5 $\frac{1}{2}$ " plain Baash-Ross Security liner hanger, landed at 3196.
Completed on pump.
On production.

Assigned to Continental Oil Co. as Operator as of October 15, 1951.

3196
84
1/2

✓

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OFFICE OF THE ASSISTANT SECRETARY FOR LAND MANAGEMENT
WASHINGTON, D.C. 20250

MEMORANDUM FOR THE ASSISTANT SECRETARY FOR LAND MANAGEMENT
FROM: [Illegible]

DATE: [Illegible]

Subject: [Illegible]

Reference is made to [Illegible]

It is recommended that [Illegible]

The proposed action is [Illegible]

It is recommended that [Illegible]

The proposed action is [Illegible]

It is recommended that [Illegible]

The proposed action is [Illegible]

It is recommended that [Illegible]

Very truly yours,
[Illegible Signature]

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

TALISMAN OIL COMPANY

650 SOUTH GRAND AVENUE

LOS ANGELES 14

VANDIKE 4169

January 2, 1952

DIVISION OF OIL & GAS

RECEIVED

JAN 8 1952

LOS ANGELES

State of California
Division of Oil and Gas
1015 West Olympic Blvd
Los Angeles 15

Attention: Mr. E. R. Murray-Aaron

Gentlemen:

Please be advised that as of October 15, 1951, all operations in connection with Wells Braille No. 1 and Braille No. 2 on the Braille Institute of America lease at Newhall, California, were taken over by Continental Oil Company, 601 West Fifth Street, Los Angeles 17.

Very truly yours,

TALISMAN OIL COMPANY

By *Ann M. Rodby*
Sec.-Treas.

November 1, 1951 used as the transfer date as Talisman Oil Company reported production for all of October and Continental Oil Company's first report is for November 1951. (My to eb, 1-4-52) eb 1-8-52
ar



CONTINENTAL OIL COMPANY

601 WEST FIFTH STREET
LOS ANGELES 17, CALIFORNIA

December 27, 1951


Division of Oil and Gas
1015 West Olympic Boulevard
Los Angeles 15, California

Attention Mr. E. R. Murray-Aaron

Gentlemen:

Replying to your letter of December 20, 1951, please be advised that Continental Oil Company took over operations of the Braille lease, Section 1, T. 3 N., R. 16 W., S.B.B. & M., Newhall field, which includes well Braille No. 1, on October 16, 1951.

Yours very truly,


B. H. ANDERSON
Regional Manager of Production
Western Region

HCB-GH

November 1, 1951 used as the transfer date as Talisman Oil Company reported production for all of October and Continental Oil Company's first report is for November 1951. (My to eb, 1-4-52) eb 1-8-52

TALISMAN OIL COMPANY
 Well No. Braille 1
 Sec. 1, T. 3N., R. 16W.
 Los Angeles County, California

DIVISION OF OIL & GAS
RECEIVED
 SEP 25 1951

Described by Hugh McClellan
 May 5, 1951

LOS ANGELES

CORE RECORD

<u>Core No.</u>	<u>Depth</u>	<u>Recovery</u>	<u>Description</u>
1	2809-2816'	6"	5" fragments of quartzite or quartz pebble. 1" sand, very fine gray silty (in core catcher).
2	2816-2826'	10'	7'6" silty sand, very fine, light gray, friable, massive. 2'0" sand, white, fine friable. 0'6" siltstone, dark gray, sandy, may be fossiliferous.
3	2826-2836'	10'	10' silty sand, very fine, medium gray, massive.
4	2836-2846'	10'	2' siltstone, dark gray, firm, micaceous. Poor dips, 5° to 8°. 8' sand, very fine, grading to fine at bottom, light gray friable, massive.
5	2846-2851'	0'6"	6" rounded quartz pebbles, about $\frac{1}{4}$ ", in very hard greenish, quartzitic matrix. Probably from a large cobble of metamorphic rock.
6	2851-2861'	5'6"	1' sand, coarse pebbly, white, friable. 0'2" siltstone, dark gray, firm, no dip. 1'4" silty sand, very fine, medium gray, friable. 3' sand, white, fine grading to coarse at bottom, friable, massive.

RECEIVED
SEP 24 1951

LOS ANGELES

WALLMAN OIL COMPANY
1011 No. Brattle St.
Pasadena, California
The American Company, California

Inspected by West...
Date: 9/21/51

COKE ANALYSIS

Core No.	Weight	Recovery	Description
1	2807-2810	98	20 fragments of quartzite or quartzite pebbles. In size, very fine grey (in core carbon).
2	2804-2807	101	Very fine, very blue, light grey quartzite pebbles.
3	2802-2803	101	210" sand, white, fine texture.
4	2800-2801	101	210" sand, white, fine texture, very fine quartzite pebbles.
5	2805-2806	101	210" sand, white, fine texture, very fine quartzite pebbles.
6	2808-2809	101	210" sand, white, fine texture, very fine quartzite pebbles.
7	2811-2812	101	210" sand, white, fine texture, very fine quartzite pebbles.
8	2813-2814	101	210" sand, white, fine texture, very fine quartzite pebbles.

<u>Core No.</u>	<u>Depth</u>	<u>Recovery</u>	<u>Description</u>
7	2861-2871'	0'3"	3" fragments of coarse quartzite with grains up to 3/4".
8	2872-2892'	16'	1' sand, white, friable, coarse. 3' silty claystone, dark gray, firm, fair dips, 20° to 24°. 12' sand, white, fine to coarse, massive, very friable.
9	2942-2952'	10'	10' shaly siltstone, dark gray, somewhat friable, some good dips, 34° to 37°.
10	2952-2962'	1'	1' siltstone, dark gray, somewhat friable.
11	2962-2972'	10'	10' silty claystone and siltstone, dark gray, massive, no dips.
12	2972-2982'	10'	10' silty claystone and siltstone as above. Fair dip, 23°.
13	2982-2992'	9'	9' same as above. Near bottom shows many included small rounded white spots.
14	2992-3002'	4'1"	1" clay, light tan, fractured and slickensided at 43°. Probably a concretion. 4' silty claystone, chocolate brownish gray showing slickensided faces. Resembles Reppetto. Dips appear nearly flat.
15	3002-3012'	10'	10' silty claystone and siltstone, dark gray and brownish gray. No cut. Dips 5° to 10°. Mega-fossils noted.
16	3012-3022'	10'	10' same as above, more slicked surfaces.
17	3022-3027	-	-
Two core numbers missing.			
20	3082-3101	20'	3' conglomerate, pebbles up to 3" in coarse sandy matrix, massive, friable. 13' sand, gray with shaly streaks, dark gray, brown, and light tan, cross-bedded. Dips 18° to 46° or more. 4' conglomerate as above, with 1' white coarse sand at bottom.

RECEIVED
ST. LOUIS, MO.

Case Record
No. 100-10000

Case No.	Date	Recovery	Description
1	1901-10-10	100	...
2	1901-10-15	100	...
3	1901-10-20	100	...
4	1901-10-25	100	...
5	1901-10-30	100	...
6	1901-11-05	100	...
7	1901-11-10	100	...
8	1901-11-15	100	...
9	1901-11-20	100	...
10	1901-11-25	100	...
11	1901-12-01	100	...
12	1901-12-05	100	...
13	1901-12-10	100	...
14	1901-12-15	100	...
15	1901-12-20	100	...
16	1901-12-25	100	...
17	1902-01-01	100	...
18	1902-01-05	100	...
19	1902-01-10	100	...
20	1902-01-15	100	...
21	1902-01-20	100	...
22	1902-01-25	100	...
23	1902-02-01	100	...
24	1902-02-05	100	...
25	1902-02-10	100	...
26	1902-02-15	100	...
27	1902-02-20	100	...
28	1902-02-25	100	...
29	1902-03-01	100	...
30	1902-03-05	100	...
31	1902-03-10	100	...
32	1902-03-15	100	...
33	1902-03-20	100	...
34	1902-03-25	100	...
35	1902-04-01	100	...
36	1902-04-05	100	...
37	1902-04-10	100	...
38	1902-04-15	100	...
39	1902-04-20	100	...
40	1902-04-25	100	...
41	1902-05-01	100	...
42	1902-05-05	100	...
43	1902-05-10	100	...
44	1902-05-15	100	...
45	1902-05-20	100	...
46	1902-05-25	100	...
47	1902-06-01	100	...
48	1902-06-05	100	...
49	1902-06-10	100	...
50	1902-06-15	100	...
51	1902-06-20	100	...
52	1902-06-25	100	...
53	1902-07-01	100	...
54	1902-07-05	100	...
55	1902-07-10	100	...
56	1902-07-15	100	...
57	1902-07-20	100	...
58	1902-07-25	100	...
59	1902-08-01	100	...
60	1902-08-05	100	...
61	1902-08-10	100	...
62	1902-08-15	100	...
63	1902-08-20	100	...
64	1902-08-25	100	...
65	1902-09-01	100	...
66	1902-09-05	100	...
67	1902-09-10	100	...
68	1902-09-15	100	...
69	1902-09-20	100	...
70	1902-09-25	100	...
71	1902-10-01	100	...
72	1902-10-05	100	...
73	1902-10-10	100	...
74	1902-10-15	100	...
75	1902-10-20	100	...
76	1902-10-25	100	...
77	1902-11-01	100	...
78	1902-11-05	100	...
79	1902-11-10	100	...
80	1902-11-15	100	...
81	1902-11-20	100	...
82	1902-11-25	100	...
83	1902-12-01	100	...
84	1902-12-05	100	...
85	1902-12-10	100	...
86	1902-12-15	100	...
87	1902-12-20	100	...
88	1902-12-25	100	...
89	1903-01-01	100	...
90	1903-01-05	100	...
91	1903-01-10	100	...
92	1903-01-15	100	...
93	1903-01-20	100	...
94	1903-01-25	100	...
95	1903-02-01	100	...
96	1903-02-05	100	...
97	1903-02-10	100	...
98	1903-02-15	100	...
99	1903-02-20	100	...
100	1903-02-25	100	...

RECEIVED

SEP 25 1951

Page 3.

LOS ANGELES

Talisman Oil Company
Well No. Braille 1
Core Record

21	3101-3116'	9'	9' conglomerate, very coarse, some cobbles larger than 6", friable, light gray.
22	3116-3134'	5'	5' conglomerate, white and light gray, coarse, friable.
23	3159-3178'	19'	13' silty sandstone, very fine, firm, non-porous, with spotted oil saturation depending on permeability. Slickensided on bedding planes. Good dips, 30° to 36°. One foot of friable dark brown oil sand 2' below top. 2' dark brown, friable oil sand, fine grained. 1' silty fine sand and hard shell. 1' good oil sand as above. 2' shell, very hard, dark gray, calcareous.
23A	3178-3182	6'	1' claystone, dark gray with some very hard concretions near top with much carbonaceous material. One inch streak of fine oil sand near bottom. 2' oil sand, very fine, silty, firm, light brown.
24	3182-3196	18'	18' oil sand, fine, friable, thin bedded, with several hard silty shells not saturated, totaling 3'. Net oil sand 15'. Out dark brown.

(signed)

Hugh McClellan

HWM-CW
GWM WEG EWS HWM

RECEIVED

Page 3

LOS ANGELES

William M. ...
Well ...
Gene ...

6	101-1150	21
7	110-101	22
11	110-110	23
12	110-110	24
13	110-110	25
14	110-110	26
15	110-110	27
16	110-110	28
17	110-110	29
18	110-110	30
19	110-110	31
20	110-110	32
21	110-110	33
22	110-110	34
23	110-110	35
24	110-110	36
25	110-110	37
26	110-110	38
27	110-110	39
28	110-110	40
29	110-110	41
30	110-110	42
31	110-110	43
32	110-110	44
33	110-110	45
34	110-110	46
35	110-110	47
36	110-110	48
37	110-110	49
38	110-110	50
39	110-110	51
40	110-110	52
41	110-110	53
42	110-110	54
43	110-110	55
44	110-110	56
45	110-110	57
46	110-110	58
47	110-110	59
48	110-110	60
49	110-110	61
50	110-110	62
51	110-110	63
52	110-110	64
53	110-110	65
54	110-110	66
55	110-110	67
56	110-110	68
57	110-110	69
58	110-110	70
59	110-110	71
60	110-110	72
61	110-110	73
62	110-110	74
63	110-110	75
64	110-110	76
65	110-110	77
66	110-110	78
67	110-110	79
68	110-110	80
69	110-110	81
70	110-110	82
71	110-110	83
72	110-110	84
73	110-110	85
74	110-110	86
75	110-110	87
76	110-110	88
77	110-110	89
78	110-110	90
79	110-110	91
80	110-110	92
81	110-110	93
82	110-110	94
83	110-110	95
84	110-110	96
85	110-110	97
86	110-110	98
87	110-110	99
88	110-110	100

William ...
(signed)

W.M. ...
Gene ...

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS

Report on Test of Water Shut-off
(FORMATION TESTER)

No. T 1-52619

Mr. R. W. Sherman Los Angeles 15, Calif. March 29, 19 51
Los Angeles 17, Calif.
 Agent for TALISMAN OIL COMPANY

DEAR SIR:

Your well No. "Braille" 1, Sec. 1, T. 3 N., R. 16 W., S. B. B & M.
Newhall Field, in Los Angeles County, was tested for water shut-off
 on March 20, 19 51. Mr. J. F. Foster, Inspector, designated by the supervisor,
 was present as prescribed in Secs. 3222 and 3223, Ch. 93, Stat. 1939; there were also present H. W. Sherman, Operator
H. Sherman, Geologist
 Shut-off data: 7 in. 23 lb. casing was cemented XXX at 3150 ft.
 on March 18, 19 51 in 10-5/8 in. hole with 375 sacks of cement
XXX of which 16 sacks was left in casing.
 Casing record of well: 12-1/2" cem. 304'; 7" cem. 3150', W.S.O.

Present depth 3178 ft. Bridged with cement from XXX ft. to XXX ft. Cleaned out to 3155 ft. for test.
 A pressure of XXX lb. was applied to the inside of casing for XXX min. without loss after cleaning out to XXX ft.
 A Johnston tester was run into the hole on 3-1/2 in. drill pipe with
 with 300 ft. of water and cushion, and packer set at 3105 ft. with tailpiece to 3122 ft.
 Tester valve, with adjustable bean, was opened at 4:15 p.m. and remained
 open for 1 hr. and 45 min. During this interval there was a light steady blow for 15 minutes
decreasing to no blow, light heading to medium heading blow for 1 hour, and a medium
to strong heading blow for the balance of the test.

INSPECTOR J. F. FOSTER VISITED THE WELL FROM 9:40 - 11:00 A.M. ON MARCH 20, 1951, AND MR. SHERMAN REPORTED THE FOLLOWING:

1. A 10-5/8" rotary hole was drilled from 942' to 3155' and an 8-1/2" rotary hole from 3155' to 3178'.
2. Electrical core readings showed the top of the oil sand at 3150'.
3. On March 18, 1951, 7", 23 lb. casing was cemented at 3150' with 375 sacks of cement.
4. Cement was drilled out of the 7" casing from 3062' to 3150', equivalent to 16 sacks, and the hole was cleaned out to 3155'.
5. A Johnston tester was run into the hole on 3-1/2" drill pipe and packer set at 3132'. THE INSPECTOR NOTED that the test was a misrun as the tool plugged.

THE INSPECTOR ARRIVED AT THE WELL AT 9:45 P.M. AND MR. SHERMAN REPORTED THE FOLLOWING:

1. A Johnston tester was run into the hole on 3-1/2" drill pipe and packer set at 3105', and the test was made as noted above.
2. When the drill pipe was removed, a net rise of 1530' of drilling fluid and oil was found in the drill pipe above the tester equivalent to 11 bbl.

THE INSPECTOR NOTED THE FOLLOWING:

1. There was no evidence of free water in the samples taken.
2. The recording pressure bomb chart showed that the tester valve was open 1 hour.

The test was completed at 10:40 p.m.

THE SHUT-OFF IS APPROVED.

cc - Company

JFF:MS

R. D. BUSH, State Oil and Gas Supervisor

By R. D. Bush, Deputy

REPORT OF THE ATTORNEY GENERAL
ON THE PROCEEDINGS OF THE
COMMISSION ON THE ORGANIZATION
OF THE EXECUTIVE BRANCH

The Commission on the Organization of the Executive Branch of Government was established by Executive Order on July 1, 1955, to study and report on the organization and functioning of the executive branch of the Federal Government. The Commission's report, published in 1955, recommended a number of organizational changes, including the creation of a new executive department, the Department of Health, Education and Welfare, and the reorganization of the Department of the Interior. The report also recommended the creation of a new position, the Director of the Office of Management and Organization, to coordinate the activities of the various executive agencies. The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness.

The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness. The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness. The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness.

The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness. The Commission's report was a landmark document in the history of the Federal Government, and its recommendations have been largely implemented. The Commission's work was a significant contribution to the improvement of the Federal Government's efficiency and effectiveness.

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

Special Report on Operations Witnessed

No. T-1-52553

Mr. R. W. Sherman Los Angeles 15, Calif. March 15, 19 51
Los Angeles 17, Calif.
Agent for TALISMAN OIL COMPANY

DEAR SIR:

Operations at your well No. "Braille" 1 Sec. 1, T. 3 N., R. 16 W., S. B. B. & M.,
Newhall Field, in Los Angeles County, were witnessed by
Paul Betts, Inspector, representative of the supervisor,
on March 6, 19 51. There was also present J. E. Bolton, Driller
G. M. Tail, Derrickman

Casing Record <u>12-1/2" cem. 304'; T.D. 942'</u>	Junk <u>XXX</u>

The operations were performed for the purpose of inspecting blowout prevention equipment and in-
stallation.
The inspector arrived at the well at 3:00 p.m. and Mr. Bolton reported:

1. A 15-1/2" rotary hole was drilled from surface to 304'.
2. On March 4, 1951, 12-1/2" 33 lb. casing was cemented at 304' with 150 sacks of cement.
3. A 10-5/8" rotary hole was drilled from 304' to 942'.

THE INSPECTOR NOTED that the well was equipped with the following blowout prevention equipment:

1. A Shaffer control gate for closing in the well with the drill pipe out of the hole.
2. A Shaffer blowout preventer for closing around the 4-1/2" drill pipe.
3. The controls for the above equipment were located outside the derrick.
4. A 2" mud fill-up line with a 2" high pressure stopcock into the 12-1/2" casing below the above equipment.

The inspection was completed at 3:30 p.m.

THE BLOWOUT PREVENTION EQUIPMENT AND INSTALLATION ARE APPROVED.

cc - Company ^{R/B}
PWB:ES

R. D. BUSH
State Oil and Gas Supervisor
By E. H. Messer Deputy

DEPARTMENT OF REVENUE
DIVISION OF OIL AND GAS
Special Report on Operations Witness

Mr. _____

Operations of your well No. _____

The operations were performed for the purpose of _____

R. D. MOSEY
State Oil and Gas Supervisor

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL AND GAS
REPORT ON PROPOSED OPERATIONS

No. P 1-49542

Los Angeles 15, Calif. March 1, 19 51

Mr. R. W. Sherman

Los Angeles 17, Calif.

President ~~Agent~~ for TALISMAN OIL COMPANY

DEAR SIR:

Your proposal to drill Well No. "Braille" 1, Section 1, T. 3 N., R. 16 W., S. B.B. & M., Newhall Field, Los Angeles County, dated Feb. 23, 19 51, received Feb. 23, 19 51, has been examined in conjunction with records filed in this office.

Present conditions as shown by the records and the proposal are as follows:

THE NOTICE STATES:

"Location of Well: 825 feet northeasterly from center line of San Fernando Road along the easterly line of Lot 39 St. John Subdivision, thence 400 feet northwesterly at right angles. Elevation of ground above sea level 1320 feet. All depth measurements taken from top of Kelley Bushing which we estimate will be 10 feet above ground."

PROPOSAL:

"Proposed Casing Program

Size of Casing	Weight	Grade and Type	Top	Bottom	Cementing Depths
12 1/4" O.D.	33#	Slip Joint Fabricated	Surface	300'	Cemented to surface
7"	23#	J 55 Seamless	Surface	3000'	Cemented

Intended zone or zones of completion:

Name Perforated Interval

It is understood that if changes in this plan become necessary we are to notify you before running casing."

DECISION:

THE PROPOSAL IS APPROVED PROVIDED THAT

1. If fresh waters are present below 300' this division shall be consulted regarding possible additional requirements for the protection of such water.
2. Blowout prevention equipment, sufficient to provide a complete close-in of the well under pressure at any time, shall be installed.
3. Any hole to be sidetracked in any oil or gas zone shall be filled with cement, if possible.
4. THIS DIVISION SHALL BE NOTIFIED AS FOLLOWS
 - (a) To inspect the installed blowout prevention equipment before drilling below 500'.
 - (b) To witness a test of the effectiveness of the 7" shut-off.

cc - Company

URMA:ES

Bond No. 5141564

R. D. BUSH

State Oil and Gas Supervisor

By S. H. Musser Deputy

STATE OF CALIFORNIA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL AND GAS

DIVISION OF OIL AND GAS
RECEIVED
FEB 23 1951
LOS ANGELES, CALIFORNIA

Notice of Intention to Drill New Well
This notice and surety bond must be filed before drilling begins

037-13242

Los Angeles Calif. February 23 19 51

DIVISION OF OIL AND GAS

In compliance with Section 3203, Chapter 93, Statutes of 1939, notice is hereby given that it is our intention to commence the work of drilling well No. "Braille" (No.) 1, Sec. 1, T. 3 N., R. 16 W., S.B. B. & M., East Newhall Area Field, Los Angeles County. Legal description of lease see plat (Attach map or plat to scale)

Location of Well: 825 feet northeasterly from center line of San Fernando Road along the easterly line of Lot 39 St. John Subdivision, thence 400 feet northwesterly at right angles.

Elevation of ground above sea level 1320 feet.

All depth measurements taken from top of Kelley Bushing which we estimate will be 10 feet above ground. (Derrick Floor, Rotary Table or Kelly Bushing)

PROPOSED CASING PROGRAM

SIZE OF CASING INCHES A.P.I.	WEIGHT	GRADE AND TYPE	TOP	BOTTOM	CEMENTING DEPTHS
12 1/4" O.D.	33#	Slip Joint Fabricated	Surface	300'	Cemented to surface
7"	23#	J 55 Seamless	Surface	3000'	Cemented

Intended zone or zones of completion:
NAME

PERFORATED INTERVAL

MAN	MAP BOOK	CASES	BOND	FORMS
Ma	18A JLW		M 5141564	114 121

It is understood that if changes in this plan become necessary we are to notify you before running casing.

Address 650 So. Grand Ave., Los Angeles 17

TALISMAN OIL COMPANY

Telephone Number VA 4169

By R. W. Sherman, Pres.